Arts & Crafts Column Collection

CROWN COLUMN & MILLWORK

A Company of VISADOR Holding Corporarion

Arts & Crafts
column collection

Arts & Crafts columns from Crown Column & Millwork are a satisfying combination of modern-day technology and low maintenance care. The elegance of the early 1900's square column is once again adding drama and personal flare to countless new homes and additions.

Unlike their 100-year old predecessors, these new architectural delights are virtually maintenance-free. Quality materials, excellent workmanship and aesthetic appeal make Crown Column & Millwork products an exceptional value.

Crown's finely crafted Arts & Crafts Columns are made of the best Cellular PVC material. Each column is milled to precision on our state of the art CNC Router. The architectural integrity of the Arts & Crafts styling and function includes a clear, crisp tongue & groove joint for an immaculate lasting installation. The profiles and projections are closely designed for the best available Arts & Crafts element to add to your next project.

Crown's Arts & Crafts collection includes three assembly options, Flat Stock, L-wrap and Fully Assembled. The L-wrap assembly contains numerous configurations and design details in addition to many custom sizes and designs. Send your custom specifications to Crown for an individualized Arts & Crafts creation.

contents

4-5	Arts & Crafts (Flat Stock Columns)
6-9	Arts & Crafts (L-Wrap Columns & Pedestals)
10-11	Arts & Crafts (Fully Assembled Columns)

Arts & Crafts collection

(flat stock columns)

Arts & Crafts flat stock columns from Crown are available in plain shafts with either standard or chamferred capital and base. Our Arts & Crafts columns are made from Cellular PVC and offer advantages of being unaffected by moisture and insects, but with the ease of use and workability of wood.

Crown's plain flat stock columns are individually boxed flat for wrap around construction and can be installed in a matter of minutes. Included with the flat stock column is the installation kit. The installation kit includes installation instructions, assembly brackets, tape and adhesive. Once installed, simply apply two coats of acrylic latex paint and sit back and enjoy years upon years of carefree style and performance. All of the Crown Arts & Crafts columns come with a limited lifetime warranty for material and workmanship when properly installed.

Specifications for Plain Non-Tapered Square Arts & Crafts Columns (with Capital and Base)

Size	Bottom Width	Top Width	Base Width	Base Height	Capital Width	Capital Height	Astragal Height	Material Thickness	Interior Clearance	Available Lengths
	A	B	C	E	F	G				
6"	5 ½"	5 ½"	6 ¼"	8"	6 ¼"	8"	1 ⅛"	⅜"	2 ½"	8', 10'
8"	7 ½"	7 ½"	8 ¼"	8"	8 ¼"	8"	1 ⅛"	⅜"	4 ½"	8', 10', 12'
10"	9 ½"	9 ½"	10 ¼"	8"	10 ¼"	8"	1 ⅛"	⅜"	6 ½"	8', 10', 12'
12"	11 ½"	11 ½"	12 ¼"	8"	12 ¼"	8"	1 ⅛"	⅜"	8 ½"	8', 10', 12'

1. Includes Installation Kit
2. Non-load bearing

Non-Tapered with Chamferred Capital & Base



Non-Tapered with Standard Capital & Base



Optional Astragal Molding

Plain Non-Tapered Column

Arts & Crafts collection (L-wrap columns and pedestals)

Crown Column & Millwork's Arts & Crafts columns are also available in a L-wrap assembly. The columns are shipped in two "L" shaped halves that are ready to wrap around an existing structural post, along with an installation kit. The installation kit includes: installation instructions, assembly brackets, tape and adhesive. The L-wrap columns are available in: Plain and Fluted Non-Tapered Square, Recessed and Raised Panel, Plain Tapered, and Canted Squares. Pedestals are also available in numerous styles and sizes.

Our Arts & Crafts columns are elegant and durable. They recapture the simple, honest artistry of yesterday's craftsman with today's most advanced materials and construction techniques. Crown's special manufacturing processes provide the kind of crisp details you would expect from only the most labor intensive and costly hand work without sacrificing quick and easy assembly and virtually maintenance-free performance.

Specifications for Recessed or Raised Panel Tapered Square Arts & Crafts Columns (with Capital and Base)

Size	Bottom Width	Top Width	Base Width	Base Height	Capital Width	Capital Height	Below Panel	Above Panel	Panel Width at Bottom	Astragal Height	Material Thickness	Interior Clearance	Available Lengths
	A	B	C	E	F	G	J	K	L				
12"	11 ½"	7 ½"	15"	2"	11"	2"	6"	6"	7"	1 ⅛"	½"	4"	54", 60", 66", 72", 96"
16"	15 ½"	11 ½"	19"	2"	15"	2"	6"	6"	11"	1 ⅛"	½"	8"	54", 60", 66", 72", 96"
20"	19 ½"	15 ½"	23"	2"	19"	2"	6"	6"	15"	1 ⅛"	½"	12"	54", 60", 66", 72", 96"

1. Includes Installation Kit
2. Non-load bearing
3. Optional astragal molding pictured on page 5



Raised Panel



Recessed Panel

Specifications for Plain Tapered Square and Plain Canted Square (one side Tapered/one side Straight) Arts & Crafts Columns (with Capital and Base)

Size	Bottom Width	Top Width	Base Width	Base Height	Capital Width	Capital Height	Astragal Height	Material Thickness	Interior Clearance	Available Lengths
	A	B	C	E	F	G				
12"	11 ½"	7 ½"	15"	2"	11"	2"	1 ⅛"	½"	4"	54", 60", 66", 72", 96"
16"	15 ½"	11 ½"	19"	2"	15"	2"	1 ⅛"	½"	8"	54", 60", 66", 72", 96"
20"	19 ½"	15 ½"	23"	2"	19"	2"	1 ⅛"	½"	12"	54", 60", 66", 72", 96"

1. Includes Installation Kit
2. Non-load bearing
3. Optional astragal molding pictured on page 5



Tapered

Canted

L-Wrap Columns
continued

Specifications for Plain Non-Tapered Square Arts & Crafts Columns (with Capital and Base)

Size	Bottom Width	Top Width	Base Width	Base Height	Capital Width	Capital Height	Astragal Height	Material Thickness	Interior Clearance	Available Lengths
	A	B	C	E	F	G				
6"	5 ½"	5 ½"	6 ¼"	8"	6 ¼"	8"	1 ⅛"	⅜"	2 ½"	8', 10'
8"	7 ½"	7 ½"	8 ¼"	8"	8 ¼"	8"	1 ⅛"	⅜"	4 ½"	8', 10', 12'
10"	9 ½"	9 ½"	10 ¼"	8"	10 ¼"	8"	1 ⅛"	⅜"	6 ½"	8', 10', 12'
12"	11 ½"	11 ½"	12 ¼"	8"	12 ¼"	8"	1 ⅛"	⅜"	8 ½"	8', 10', 12'

1. Includes Installation Kit
2. Non-load bearing
3. Optional astragal molding pictured on page 5

Specifications for Fluted Non-Tapered Square Arts & Crafts Columns (with Capital and Base)

Size	Bottom Width	Top Width	Base Width	Base Height	Capital Width	Capital Height	Bottom Flute	Top Flute	Flute Width	Astragal Height	Material Thickness	Interior Clearance	Number Flutes	Available Lengths
	A	B	C	E	F	G	J	K	L					
6"	5 ½"	5 ½"	6 ¼"	8"	6 ¼"	8"	6"	6"	11/16"	1 ⅛"	½"	2 ½"	5	6', 8', 9', 10'
8"	7 ½"	7 ½"	8 ¼"	8"	8 ¼"	8"	6"	6"	11/16"	1 ⅛"	½"	4 ½"	7	6', 8', 9', 10', 12'
10"	9 ½"	9 ½"	10 ¼"	8"	10 ¼"	8"	6"	6"	¾"	1 ⅛"	½"	6 ½"	7	6', 8', 9' , 10', 12'
12"	11 ½"	11 ½"	12 ¼"	8"	12 ¼"	8"	6"	6"	⅞"	1 ⅛"	½"	8 ½"	7	6', 8', 9', 10', 12'

1. Includes Installation Kit
2. Non-load bearing
3. Optional astragal molding pictured on page 5



Fluted Non-Tapered with Standard Capital & Base



Single Panel | Break at 36" | Break at 42" | Triple Panel



Raised or Recessed Pedestal

Specifications for Raised & Recessed Panel Pedestal (with Capital and Base)

Size	Bottom Width	Top Width	Base Width	Base Height	Capital Width	Capital Height	Below Panel	Above Panel	Panel Width	Astragal Height	Material Thickness	Interior Clearance	Available Lengths
	A	B	C	E	F	G	J	K	L				
16"	15 ½"	15 ½"	19"	2"	19"	2"	3"	3"	11"	1 ⅛"	½"	12 ½"	40", 46"
20"	19 ½"	19 ½"	23"	2"	23"	2"	3"	3"	15"	1 ⅛"	½"	16 ½"	40", 46"
24"	23 ½"	23 ½"	27"	2"	27"	2"	3"	3"	19"	1 ⅛"	½"	20 ½"	40", 46"

1. Includes Installation Kit
2. Non-load bearing
3. Optional astragal molding pictured on page 5

Specifications for Raised Panel Non-Tapered Square **Arts & Crafts Columns** (with Capital and Base)

Size	Bottom Width	Top Width	Base Width	Base Height	Capital Width	Capital Height	Below Panel	Above Panel	Panel Width	Astragal Height	Material Thickness	Interior Clearance	Available Lengths
	A	B	C	E	F	G	J	K	L				
8"	7 ½"	7 ½"	8 ¼"	8"	8 ¼"	8"	6"	6"	3 ½"	1 ⅛"	½"	4 ½"	6', 8', 9', 10', 12'
10"	9 ½"	9 ½"	10 ¼"	8"	10 ¼"	8"	6"	6"	5 ¼"	1 ⅛"	½"	6 ½"	6', 8', 9', 10', 12'
12"	11 ½"	11 ½"	12 ¼"	8"	12 ¼"	8"	6"	6"	7"	1 ⅛"	½"	8 ½"	6', 8', 9', 10', 12'

1. Includes Installation Kit
2. Non-load bearing
3. Optional astragal molding pictured on page 5



Raised Panel Non-Tapered with Standard Capital & Base



Single Panel | **Break at 36"** | **Break at 42"** | **Triple Panel**



Specifications for Recessed Panel Non-Tapered Square **Arts & Crafts Columns** (with Capital and Base)

Size	Bottom Width	Top Width	Base Width	Base Height	Capital Width	Capital Height	Below Panel	Above Panel	Panel Width	Astragal Height	Material Thickness	Interior Clearance	Available Lengths
	A	B	C	E	F	G	J	K	L				
8"	7 ½"	7 ½"	8 ¼"	8"	8 ¼"	8"	6"	6"	3 ½"	1 ⅛"	½"	4 ½"	6', 8', 9', 10', 12'
10"	9 ½"	9 ½"	10 ¼"	8"	10 ¼"	8"	6"	6"	5 ¼"	1 ⅛"	½"	6 ½"	6', 8', 9', 10', 12'
12"	11 ½"	11 ½"	12 ¼"	8"	12 ¼"	8"	6"	6"	7"	1 ⅛"	½"	8 ½"	6', 8', 9', 10', 12'

1. Includes Installation Kit
2. Non-load bearing
3. Optional astragal molding pictured on page 5



Recessed Panel Non-Tapered with Standard Capital & Base



Single Panel | **Break at 36"** | **Break at 42"** | **Triple Panel**

Arts & Crafts collection (fully assembled columns)

Made from the same material as our flat stock and L-wrap columns, our fully assembled columns are boxed individually and are ready to install upon delivery. Each unit includes the column shaft, standard capital and base, and a 4"x4" pressure treated post. These fully assembled columns are manufactured with Cellular PVC and are available in plain non-taperd designs.

Fully Assembled Columns with 4x4 Pressure Treated Post

Specifications for Plain Non-Tapered Square **Arts & Crafts Columns** (with Capital and Base)

Size	Bottom Width	Top Width	Base Width	Base Height	Capital Width	Capital Height	Astragal Height	Material Thickness	Interior Clearance	Available Lengths
	A	B	C	E	F	G				
6"	5 ½"	5 ½"	6 ¼"	8"	6 ¼"	8"	1 ⅛"	⅜"	2 ½"	8', 10'
8"	7 ½"	7 ½"	8 ¼"	8"	8 ¼"	8"	1 ⅛"	⅜"	4 ½"	8', 10'
10"	9 ½"	9 ½"	10 ¼"	8"	10 ¼"	8"	1 ⅛"	⅜"	6 ½"	8', 10'
12"	11 ½"	11 ½"	12 ¼"	8"	12 ¼"	8"	1 ⅛"	⅜"	8 ½"	8', 10'

1. Load bearing up to 5,000 lbs
2. Optional astragal molding pictured on page 5



Non-Tapered with Chamferred Capital & Base



Non-Tapered with Standard Capital & Base



Arts & Crafts Column Collection

Crown Column & Millwork Co., L.L.C.
3810 Pleasant Valley Road
Attalla, AL 35954

P 1-888-862-0880
P 256-538-1949
F 256-538-1722

www.crowncolumn.com

CROWN
COLUMN & MILLWORK
BY VISADOR

CCMAC0508

GLUE IT WRAP IT SNAP IT!

WRAP N' SNAP™ COLUMN WRAP

PVC POST WRAPS

BY HB&G

WRAP N' SNAP™ PLAIN COLUMN WRAPS



- The Wrap N' Snap™ Column Wrap transforms a treated post into a finished column in minutes.
- Easy installation. Our patented snap-lock design permits installation by 1 person. (U.S. patent #799704; CA patent #2503195)
- No external fasteners required; Vinyl adhesive sold separately.
- Twenty Five Year Warranty.

Wrap N' Snap™ Column Wrap Technical Specifications

Product Description	Actual Inside Dimension	Actual Outside Dimension	Wrap N' Snap™ Will Fit
4" x 4" x 8'6"	4" x 4" x 8'6"	4 3/4" x 4 3/4" x 8'6"	4" x 4" Post
4" x 4" x 10'	4" x 4" x 10'	4 3/4" x 4 3/4" x 10'	4" x 4" Post
6" x 6" x 8'6"	6" x 6" x 8'6"	6 3/4" x 6 3/4" x 8'6"	6" x 6" Post
6" x 6" x 10'	6" x 6" x 10'	6 3/4" x 6 3/4" x 10'	6" x 6" Post
8" x 8" x 8'6"	8 3/4" x 8 3/4" x 8'6"	9 1/2" x 9 1/2" x 8'6"	8" x 8" Post
8" x 8" x 10'	8 3/4" x 8 3/4" x 10'	9 1/2" x 9 1/2" x 10'	8" x 8" Post
10" x 10" x 8'6"	10 3/4" x 10 3/4" x 8'6"	11 1/2" x 11 1/2" x 8'6"	10" x 10" Post
10" x 10" x 10'	10 3/4" x 10 3/4" x 10'	11 1/2" x 11 1/2" x 10'	10" x 10" Post

WRAP N' SNAP™ CAP & BASE TRIM KITS

Colonial

Williamsburg



Arcadia

Belmont
Post Cap

Windsor
Post Cap

4" Colonial Trim Kit	4" Williamsburg Trim Kit	4" Arcadia Trim Kit
6" Colonial Trim Kit	6" Williamsburg Trim Kit	6" Arcadia Trim Kit
8" Colonial Trim Kit	8" Williamsburg Trim Kit	8" Arcadia Trim Kit
10" Colonial Trim Kit	10" Williamsburg Trim Kit	10" Arcadia Trim Kit

4" Belmont Post Cap
6" Belmont Post Cap

4" Windsor Post Cap
6" Windsor Post Cap

Each trim kit has pre-mitered corners prepared to receive dovetail splines that are included for quick and easy assembly.

When combined with the Belmont or Windsor Post Cap, a 4" or 6" Wrap N' Snap™ column wrap can be shortened and used as a newel post.

EASY INSTALLATION

Cut to size, then…

1. Apply vinyl/PVC adhesive to joints.
2. Place Wrap N' Snap™ around post/column.
3. Snap into place. Allow vinyl/PVC adhesive to cure overnight and then remove tape.

WRAP N' SNAP™ USES:

1. Front porches with existing pressure-treated posts and newel posts
2. Beach houses using wood pilings
3. Second story back porches and decks
4. Screened-in porches
5. Basements with lally columns

Distributed By:

HB&G
1015 Brundidge Blvd.
Troy, AL 36081
www.hbgcolumns.com
1-800-264-4HBG

WRAP N' SNAP™ COLUMN WRAP

OPTIONAL CAPS AND BASES

To order optional caps and bases:

1) Select the style you desire.
2) *Provide the nominal shaft width you are matching.

* *Actual shaft width is 1/4" less than stated nominal width.*

BOX CAP AND BASE



Not available for Tapered Columns.

CRAFTSMAN CAP AND BASE



ITALIAN CAP AND BASE



GREEK CAP AND BASE



PRAIRIE CAP AND BASE



MISSION CAP AND BASE



MODERN CAP AND BASE



ROMAN CAP AND BASE



TUSCAN CAP AND BASE



VICTORIAN CAP AND BASE



NECK MOULD



SAMPLES:

Want to see an actual sample?

Call your Fypon sales representative for samples or if you are interested in a countertop display.



Non-tapered Plain Column Wrap Kits

Shaft Height	Shaft Width	Shaft Width	Shaft Width	Shaft Width
	6”	8”	10”	12”
72”	Special Order	Special Order	Special Order	Special Order
96”	CWKT86046	CWKT86004	CWKT86018	CWKT86030
108”	CWKT86047	CWKT86009	CWKT86022	CWKT86033
120”	CWKT86048	CWKT86014	CWKT86026	CWKT86035
144”	Special Order	CWKT86015	CWKT86028	CWKT86036

Inside width is 1-1/2” less than nominal shaft width.

Columns come in a kit with the Box cap/base standard and adhesive. Alternative cap and bases are available; see page 9 to 10.

Shaft is 5/8” thick. Actual shaft width is 1/4” less than stated nominal width.

Special order columns range from 6”-24” wide and from 24” to 240” in height. Please allow two (2) weeks for delivery on special order sizes. See page 18 for a quote form. Larger quantities require extended lead time. All standard product ships in five days.

Shaft Width	Inside Shaft Width
6”	4-1/2”
8”	6-1/2”
10”	8-1/2”
12”	10-1/2”



Non-tapered Economy Plain Column Wrap Kits

Shaft Height	Shaft Width	Shaft Width	Shaft Width	Shaft Width
	6”	8”	10”	12”
72”	Special Order	Special Order	Special Order	Special Order
96”	CWKT86000	CWKT86003	CWKT86017	CWKT86029
108”	CWKT86001	CWKT86008	CWKT86021	CWKT86032
120”	CWKT86002	CWKT86013	CWKT86025	CWKT86034
144”	Special Order	Special Order	Special Order	Special Order

Inside width is 1” less than nominal shaft width.

Columns come in a kit with the Box cap/base standard and adhesive. Alternative cap and bases are available; see page 9 to 10.

Shaft is 3/8” thick. Actual shaft width is 1/4” less than stated nominal width.

Special order columns range from 6”-12” wide and from 24” to 144” in height. Please allow two (2) weeks for delivery on special order sizes. See page 18 for a quote form and procedures. Larger quantities require extended lead time. All standard product ships in five days.

Shaft Width	Inside Shaft Width
6”	5”
8”	7”
10”	9”
12”	11”



Flutes are 3/4” wide and 3/8” deep. Number of flutes varies by width of the shaft.

Non-tapered Fluted Column Wrap Kits

Shaft Height	Shaft Width	Shaft Width	Shaft Width	Shaft Width
	6”	8”	10”	12”
72”	Special Order	Special Order	Special Order	Special Order
96”	Special Order	Special Order	CWKT86020	Special Order
108”	Special Order	Special Order	CWKT86024	Special Order
120”	Special Order	Special Order	Special Order	Special Order
144”	Special Order	Special Order	Special Order	Special Order

Inside width is 1-1/2” less than nominal shaft width.

Columns come in a kit with the Box cap/base standard and adhesive. Alternative cap and bases are available; see page 9 to 10.

Shaft is 5/8” thick. Actual shaft width is 1/4” less than stated nominal width.

Special order columns range from 8”-24” wide and from 24” to 144” in height. Please allow two (2) weeks for delivery on special order sizes. See page 18 for a quote form. Larger quantities require extended lead time. All standard product ships in five days.

Shaft Width	Inside Shaft Width
6”	4-1/2”
8”	6-1/2”
10”	8-1/2”
12”	10-1/2”

Phone 419.445.0116 800.446.3040 U.S. and Canada Fax 419.446.1300 800.446.9373 U.S. and Canada



Flutes are 3/4" wide and 3/8" deep. Number of flutes varies by width of the shaft.

Non-tapered Double Fluted Column Wrap Kits

Shaft Height	Shaft Width	Shaft Width	Shaft Width	Shaft Width
	6"	8"	10"	12"
72"	Special Order	Special Order	Special Order	Special Order
96"	Special Order	Special Order	Special Order	Special Order
108"	Special Order	Special Order	Special Order	Special Order
120"	Special Order	Special Order	Special Order	Special Order
144"	Special Order	Special Order	Special Order	Special Order

Inside width is 1-1/2" less than nominal shaft width.

Columns come in a kit with the Box cap/base standard and adhesive. Alternative cap and bases are available; see page 9 to 10.

Shaft is 5/8" thick. Actual shaft width is 1/4" less than stated nominal width.

Special order columns range from 8"-24" wide and from 24" to 144" in height. Please allow two (2) weeks for delivery on special order sizes. See page 18 for a quote form. Larger quantities require extended lead time. All standard product ships in five days.

Shaft Width	Inside Shaft Width
6"	4-1/2"
8"	6-1/2"
10"	8-1/2"
12"	10-1/2"



Route is 1-11/32" wide by 3/8" deep.

Non-tapered Raised Panel Column Wrap Kits

Shaft Height	Shaft Width	Shaft Width	Shaft Width	
	8"	10"	12"	
72"	Special Order	Special Order	Special Order	
96"	CWKT86005	CWKT86019	Special Order	
108"	CWKT86010	CWKT86023	Special Order	
120"	Special Order	CWKT86027	Special Order	
144"	CWKT86016	Special Order	Special Order	

Inside width is 1-1/2" less than nominal shaft width.

Columns come in a kit with the Box cap/base standard and adhesive. Alternative cap and bases are available; see page 9 to 10.

Shaft is 5/8" thick. Actual shaft width is 1/4" less than stated nominal width.

Special order columns range from 8"-24" wide and from 24" to 144" in height. Please allow two (2) weeks for delivery on special order sizes. See page 18 for a quote form and procedures. Larger quantities require extended lead time. All standard product ships in five days.

Shaft Width	Inside Shaft Width
8"	6-1/2"
10"	8-1/2"
12"	10-1/2"



Route is 1-11/32" wide by 3/8" deep.

Non-tapered Double Raised Panel Column Wrap Kits

Shaft Height	Shaft Width	Shaft Width	Shaft Width	
	8"	10"	12"	
72"	Special Order	Special Order	Special Order	
96"	CWKT86006	Special Order	Special Order	
108"	CWKT86011	Special Order	Special Order	
120"	Special Order	Special Order	Special Order	
144"	Special Order	Special Order	Special Order	

Inside width is 1-1/2" less than nominal shaft width.

Columns come in a kit with the Box cap/base standard and adhesive. Alternative cap and bases are available; see page 9 to 10.

Shaft is 5/8" thick. Actual shaft width is 1/4" less than stated nominal width.

Special order columns range from 8"-24" wide and from 48" to 144" in height. Please allow two (2) weeks for delivery on special order sizes. See page 18 for a quote form and procedures. Larger quantities require extended lead time. All standard product ships in five days.

Shaft Width	Inside Shaft Width
8"	6-1/2"
10"	8-1/2"
12"	10-1/2"



Recess is 5/8" deep.

Non-tapered Recessed Panel Column Wrap Kits

Shaft Height	Shaft Width	Shaft Width	Shaft Width	
	8"	10"	12"	
72"	Special Order	Special Order	Special Order	
96"	Special Order	Special Order	Special Order	
108"	CWKT86012	Special Order	Special Order	
120"	Special Order	Special Order	Special Order	
144"	Special Order	Special Order	Special Order	

Inside width is 1-1/2" less than shaft width.

Columns come in a kit with the Box cap/base standard and adhesive. Alternative cap and bases are available; see page 9 to 10.

Shaft is 5/8" thick. Actual shaft width is 1/4" less than stated nominal width.

Special order columns range from 8"-24" wide and from 24" to 144" in height. Please allow two (2) weeks for delivery on special order sizes. See page 18 for a quote form. Larger quantities require extended lead time. All standard product ships in five days.

Shaft Width	Inside Shaft Width
8"	6-1/2"
10"	8-1/2"
12"	10-1/2"



Recess is 5/8" deep.

Non-tapered Double Recessed Panel Column Wrap Kits

Shaft Height	Shaft Width	Shaft Width	Shaft Width	
	8"	10"	12"	
72"	Special Order	Special Order	Special Order	
96"	CWKT86007	Special Order	CWKT86031	
108"	Special Order	Special Order	Special Order	
120"	Special Order	Special Order	Special Order	
144"	Special Order	Special Order	Special Order	

Inside width is 1-1/2" less than shaft width.

Columns come in a kit with the Box cap/base standard and adhesive. Alternative cap and bases are available; see page 9 to 10.

Shaft is 5/8" thick. Actual shaft width is 1/4" less than stated nominal width.

Special order columns range from 8"-24" wide and from 24" to 144" in height. Please allow two (2) weeks for delivery on special order sizes. See page 18 for a quote form. Larger quantities require extended lead time. All standard product ships in five days.

Shaft Width	Inside Shaft Width
8"	6-1/2"
10"	8-1/2"
12"	10-1/2"



Tapered Plain Column Wrap Kits

Tapered Shaft Height	Top Width / Bottom Width	Top Width / Bottom Width	Top Width / Bottom Width	Top Width / Bottom Width
	8"/12"	11"/ 16"	13"/ 20"	16"/ 24"
48"	CWKT86037	Special Order	Special Order	Special Order
54"	CWKT86038	Special Order	Special Order	Special Order
60"	CWKT86039	CWKT86043	Special Order	Special Order
66"	CWKT86040	CWKT86044	Special Order	Special Order
72"	CWKT86041	CWKT86045	Special Order	Special Order
96"	CWKT86042	Special Order	Special Order	Special Order

Inside width is 1-1/2" less than nominal shaft width.

Columns come in a kit with the Box cap/base standard and adhesive. Alternative cap and bases are available; see page 9 to 10.

Shaft is 5/8" thick. Actual shaft width is 1/4" less than stated nominal width.

Special order columns range from 8"-24" wide for the top width. 10"-24" wide for the bottom width. Height can range from 24"-144". Please allow two (2) weeks for delivery on special order sizes. See page 18 for a quote form. Larger quantities require extended lead time. All standard product ships in five days.

Top Column Width	Inside Shaft Width
8"	6-1/2"
11"	9-1/2"
13"	11-1/2"
16"	14-1/2"

Phone 419.445.0116 800.446.3040 U.S. and Canada Fax 419.446.1300 800.446.9373 U.S. and Canada



Route 1-11/32" wide by 3/8" deep.

Tapered Raised Panel Column Wrap Kits

Tapered Shaft Height	Top Width / Bottom Width	Top Width / Bottom Width	Top Width / Bottom Width	Top Width / Bottom Width
	8"/12"	11"/ 16"	13"/ 20"	16"/ 24"
48"	Special Order	Special Order	Special Order	Special Order
54"	Special Order	Special Order	Special Order	Special Order
60"	Special Order	Special Order	Special Order	Special Order
66"	Special Order	Special Order	Special Order	Special Order
72"	Special Order	Special Order	Special Order	Special Order
96"	Special Order	Special Order	Special Order	Special Order

Inside width is 1-1/2" less than nominal shaft width.

Columns come in a kit with the Box cap/base standard and adhesive. Alternative cap and bases are available; see page 9 to 10.

Shaft is 5/8" thick. Actual shaft width is 1/4" less than stated nominal width.

Special order columns range from 8"-24" wide for the top width. 10"-24" wide for the bottom width. Height can range from 24"-144". Please allow two (2) weeks for delivery on special order sizes. See page 18 for a quote form. Larger quantities require extended lead time. All standard product ships in five days.

Top Column Width	Inside Shaft Width
8"	6-1/2"
11"	9-1/2"
13"	11-1/2"
16"	14-1/2"



Recess is 5/8" deep. Edge is 1/8" rounded.

Tapered Recessed Panel Column Wrap Kits

Tapered Shaft Height	Top Width / Bottom Width	Top Width / Bottom Width	Top Width / Bottom Width	Top Width / Bottom Width
	8"/12"	11"/ 16"	13"/ 20"	16"/ 24"
48"	Special Order	Special Order	Special Order	Special Order
54"	Special Order	Special Order	Special Order	Special Order
60"	Special Order	Special Order	Special Order	Special Order
66"	Special Order	Special Order	Special Order	Special Order
72"	Special Order	Special Order	Special Order	Special Order
96"	Special Order	Special Order	Special Order	Special Order

Inside width is 1-1/2" less than nominal shaft width.

Columns come in a kit with the Box cap/base standard and adhesive. Alternative cap and bases are available; see page 9 to 10.

Shaft is 5/8" thick. Actual shaft width is 1/4" less than stated nominal width.

Special order columns range from 8"-24" wide for the top width. 10"-24" wide for the bottom width. Height can range from 24"-144". Please allow two (2) weeks for delivery on special order sizes. See page 18 for a quote form. Larger quantities require extended lead time. All standard product ships in five days.

Top Column Width	Inside Shaft Width
8"	6-1/2"
11"	9-1/2"
13"	11-1/2"
16"	14-1/2"